


Model Checking – Exercise sheet 13

Exercise 13.1

Consider the pushdown system below, with stack alphabet $\Gamma = \{a, b\}$ where $\textcircled{1} \xrightarrow{\text{push } a} \textcircled{2}$, indicates the presence of transitions $1a \leftrightarrow 2aa$ and $1b \leftrightarrow 2ab$, and $\textcircled{4} \xrightarrow{\text{pop } a} \textcircled{5}$, indicates the presence of transition $4a \leftrightarrow 5$.



Let $L = 7b^* = \{7, 7b, 7bb, 7bbb, \dots\}$. Construct the \mathcal{P} -automaton accepting $\text{pre}^*(L)$.

Exercise 13.2

Consider the following recursive program, where ? denotes a nondeterministic Boolean value:

```

    procedure main;
m0:   if ? then
        call a;
        else
            call b;
m1:   return;

    procedure a;
a0:   if ? then
        call b;
a1:   call b;
        else
            call a;
        end if;
a2:   return;

    procedure b;
```

```

b0:  if ? then
      call a;
b1:  if ? then
      call a;
      end if;
      end if;
b2:  return;

```

- (a) Model the program with a pushdown system.
- (b) Compute all configurations that can reach the program label `m1`.

Exercise 13.3

Consider the following recursive program with a global variable `g` and a local variable `l`:

```

boolean g;

procedure main(boolean l);
m0:  if l then
      call a;
      end if;
m1:  assert(g == l);
m2:  return;

      procedure a();
a0:  g := not g;
a1:  if not g then
      call a;
a2:  call a;
      end if;
a3:  return;

```

- (a) Model the program with a pushdown system, where the values of `g` and `l` are not initialized.
- (b) Compute all configurations that can reach the program label `m2`.
- (c) ★ Compute all configurations that are reachable from the program label `m0`.

Solution 13.1

First note that the transitions of the pushdown system are as follows:

$$1a \rightarrow 2aa$$

$$1b \rightarrow 2ab$$

$$1b \rightarrow 4$$

$$2a \rightarrow 1ba$$

$$2b \rightarrow 1bb$$

$$3a \rightarrow 2aa$$

$$3b \rightarrow 2ab$$

$$4a \rightarrow 3aa$$

$$4b \rightarrow 3ab$$

$$4a \rightarrow 5$$


$$5b \rightarrow 7$$

$$5a \rightarrow 6$$


$$6a \rightarrow 5$$

$$7a \rightarrow 6.$$


We are looking for $\text{pre}^*(L)$ where $L = 7b^*$. We construct the following \mathcal{P} -automaton for L :




We apply the algorithm to compute $\text{pre}^*(L)$ on the above automaton \mathcal{A} . More precisely, if $q \xrightarrow{w} r$ in \mathcal{A} and if the pushdown system contains a rule $pA \rightarrow qw$, then we add a transition $p \xrightarrow{A} r$ to \mathcal{A} . For example, this is the case for $7 \xrightarrow{\varepsilon} 7$ and $5b \rightarrow 7$, so we add the transition $5 \xrightarrow{b} 7$:




By repeatedly doing the same with rules $4a \rightarrow 5$, $6a \rightarrow 5$, $5a \rightarrow 6$, $7a \rightarrow 6$ and $1b \rightarrow 4$, we obtain:



From rule $2a \rightarrow 1ba$, we add the following (orange) transition:



We repeat the process until we derive the following \mathcal{P} -automaton¹:




Solution 13.2


- (a) Since the program has no global variable, the pushdown system has a single control-state, say p . The stack alphabet is $\Gamma = \{m_0, m_1, a_0, a_1, a_2, b_0, b_1, b_2\}$. The resulting pushdown system is:

¹Blue and magenta are only used to help distinguishing a and b -transitions.


$$\begin{aligned}
m_0 &\rightarrow a_0 m_1 \mid b_0 m_1 \\
m_1 &\rightarrow \varepsilon \\
a_0 &\rightarrow b_0 a_1 \mid a_0 a_2 \\
a_1 &\rightarrow b_0 a_2 \\
a_2 &\rightarrow \varepsilon \\
b_0 &\rightarrow a_0 b_1 \mid b_2 \\
b_1 &\rightarrow a_0 b_2 \mid b_2 \\
b_2 &\rightarrow \varepsilon
\end{aligned}$$



(b) We are looking for $\text{pre}^*(L)$ where $L = p m_1 \Gamma^*$. We construct the following \mathcal{P} -automaton for L :



By applying the algorithm to compute $\text{pre}^*(L)$, we derive the following \mathcal{P} -automaton:




Solution 13.3


(a) Since the program has a global boolean variable g , the pushdown system has two control-states g_0 and g_1 representing respectively $g = \text{false}$ and $g = \text{true}$. The stack alphabet is

$$\Gamma = \{(m_0, \ell_0), (m_0, \ell_1), (m_1, \ell_0), (m_1, \ell_1), (m_2, \ell_0), (m_2, \ell_1), a_0, a_1, a_2, a_3, \perp\}$$


where \perp stands for an error, and (m_i, ℓ_j) stands for location m_i of `main` with $\mathbf{l} = \text{true}$ if $j = 1$, and $\mathbf{l} = \text{false}$ if $j = 0$. The resulting pushdown system is:




(b) We are looking for $\text{pre}^*(L)$ where $L = (g_0 + g_1) ((m_2, \ell_0) + (m_2, \ell_1))\Gamma^*$. We construct the following \mathcal{P} -automaton for L :



By applying the algorithm to compute $\text{pre}^*(L)$, we derive the following \mathcal{P} -automaton:



(c) We are looking for $\text{post}^*(L)$ where $L = (g_0 + g_1) ((m_0, l_0) + (m_0, l_1))\Gamma^*$. We construct the following \mathcal{P} -automaton for L :



By applying the algorithm to compute $\text{post}^*(L)$, we derive the following \mathcal{P} -automaton:

